CITY OF SPRINGFIELD POLICE AND FIRE PENSION SYSTEM WITHDRAWAL OF EMPLOYEE CONTRIBUTION REQUEST

Effective October 1, 1995, police and fire personnel who have contributed to the Police and Fire pension system through payroll deduction are entitled to receive a refund of their contributions upon retirement. To receive your refund you must select from one of the following two options:

deducted from my earnings percent (20%) of my pre-ta and that I will be assessed			I pre and post-tax contributions to the Police and Fire Pension System that were during my employment with the City of Springfield. I understand that twenty-ax contributions will be withheld for Federal Income Tax purposes by the City at ten percent (10%) penalty on the pre-tax portion of my contributions when I for this year. (The City does not withhold the 10% penalty)			
employment with the City of				Pension System the gfield since Januar sferred will be with	hat were deducted from my earnings during my ry 1, 1992. I understand that twenty-percent of any hheld by the City for Federal Income Tax purposes	
		The post-tax contributions	will be p	paid directly to me	at the following address.	
Name and Address of Financial Institution: (Attach forms from the Financial Institution)				Retiree Name and Address:		
Expected Date of Retirement:				Social Security Number		
Signature:				Date:		
Telephone Nu	ımber					
		FOR FINA	ANCE I	DEPARTMENT U	JSE ONLY	
	010100				019200	
HT-SCR.	HED 51	1 P/F PEN PRE TA	X -YTD	BALANCE	\$	
	HED 51	PF PEN PRE ACC - YTD BALANC		BALANCE	\$	
		TOTAL PRE-TAX CONTRIBUTIONS		ΓRIBUTIONS	\$HED 010 -Amount Taxed HED HED 012 & 776-Amount Rolled	
USE HED 012 IF	THE PRE-TA	TAX IS PAID TO EMPLOYEE - O X IS ROLLED TO A FINANCIAL SE TRANSFERRED TO A FINANC	INSTITU	TION AND SET- UP		
	HED 51	2 PF PEN POST AC	CC – YT	TD BALANCE	\$ HED 014	

ATTACH AN EE-SCR FF-SCR AND THE HT-SCR FOR HED 511-513 FROM COMPANY 010100 FOR PURPOSES OF ENTERING IN COMPANY 019200. USE THE LMODEL RET TO SET UP THE RETIREE IN 019200. CHANGE PAYMENT CODE TO "5" ON EE-SCR. IT IS ONLY NECESSARY TO ENTER THE EE-SCR AND FF-SCR AND SET-UP THE APPROPRIATE HED'S FROM THE ABOVE CALCULATION IN 019200.